Exhibit C

SOLD ON THE CANTERN

TO

IN mates

Approved By

ALABAMA Department

07

Corrections

(hibit

Cigarettes

Tobacco smoke is a well-known source of annoyance as indoor air pollutant

Pollutant

Cigarette smoke is acknowledged to be the single most important cause of lung cancer.

Lung Cancer hung cancer, although very seldom curable, is largely preventable.

Nicotine stimulates the heart to beat faster

Tobacco has some adverse effects on health in whatever form it is ingested

There are about 4,000 chemicals present in tar, of which a number are known to produce <u>Cancer</u>.

Newbort Kings



nne es de On tobetaxored file

ine use section of the U.S. Genters for the U.S. Ge of direcent pusilisticant smoking at the 1300 inmate Kilby Corper at the 1300 inmate Kilby Corper florally actionact settler mates) smoke. Nowell said: He got some help from the 150 part ment of Public Health to but the Kilby stop smoking program to the first state of the said was gettler, and he hopes to do another than has come to the confess list of the first state of

PART EVIENT OF CORRECTIONS

TOBACCO CONSUMPTION FIGURES Cigarette brand
Doral F/F Menthol 100s
Doral F/F 100s Gross sales \$5,816.61 \$21,196.89 \$283,771.62 Kool Filter Kool Super 100 s \$108,247.19 M arlboro N ewport \$6,216.56 **Jinston** \$1,979.76 arrett Mild Snuff \$1,668,**3**65.64 **B** ugler Tobacco op Menthol Ligarette Tobacco op Tobacco ≺ed Man Scrap Tobacco \$203,001.45 Skoal TOTAL



WARNING: This Product Contains/Produce S Chemicals Known To The State Of California To Cau se Cancer, And Birth Defects Or Other Reproductive Harm.

Menthol Cigarette Tobacco

*Based on standard .65 oz package

Air Pollutant

Tobacco smoke is an air pollutant.

Air pollution-has resulted in an increased number of deaths among people with cardiac and respiratory diseases

A striking increase on the number of deaths among the persons who already suffer from heart and chronic lung disease.

- I. Increasing number of people becoming ill with Chronic Respiratory Disease.
- II. Stepped up severity of asthma attacks
- III. More acute bronchitis, pneumonia and other chest illnesses among adults
- II. Cancer of the Lung.
- I. More deaths among people who are hospitalized with heart attacks. One study has indicated that angina patients developed pain more rapid at times.
- VI. Irritation of the eyes, nose, and throat, changes in behavior and heart function.

Other studies have indicated reduced lung function in middle-aged non-smokers exposed to smoke

Lung Cancer
Cancer begins when "tars" produce chemicals that

are Known to produce cancer.

Unfortunately

Lung Cancer can become far advanced before it produces noticeable symptoms.

Surgeon General's Report (1979) states that lung Cancer is largely a preventable disease.

The Supreme Court has explained:

One does not have to await consumation of threatened injury to obtain preventive relief.

The Columbia University College of Physicians and Surgeons

Tobacco Smoke - Air Pollutant

I. Air Pollution results in increased number of deaths among people with cardiac and respiratory diseases.

II. A striking increase in the number of deaths

- among the persons who already suffer from Heart and Chronic Lung Disease.
- A. Stepped up severity of asthma attacks.
- B. More acute bronchitis, pneumonia and other chest illnesses among adults.
- C. Cancer of the lung
- D. More deaths among people who are hospitalized with heart attacks.
- E. One study has indicated that angina patients developed pain more rapidly at these times.
- F. Irritation of the eyes, nose, throat, and changes in behavior and heart function.

Exhibit C

SOLD ON THE CANTEEN

TO

INMates

Approved By

ALABAMA Department

Corrections

Cigarettes

Tobacco smoke is a well-known source of annoyance as indoor air pollutant

Pollutant

Cigarette smoke is acknowledged to be the Single most important cause of lung cancer.

Lung Cancer


hung cancer, although very seldom curable, is largely preventable.


Nicotine stimulates the heart to beat faster

Tobacco has some adverse effects on health in whatever form it is ingested

There are about 4,000 chemicals present in tar, of which a number are known to produce Cancer.







WARNING: This Product Contains/Produces Chemicals Known To The State Of California To Cause Cancer, And Birth Defects Or Other Reproductive Harm.

Menthol Cigarette Tobacco

*Based on standard .65 oz package

Air Pollutant

Tobacco smoke is an air pollutant.

Air pollution-has resulted in an increased number of deaths among people with cardiac and respiratory diseases

A striking increase on the number of deaths among the persons who already suffer from heart and chronic lung disease.

- I. Increasing number of people becoming ill with Chronic Respiratory Disease
- II. Stepped up severity of asthma attacks
- III. More acute bronchitis, pneumonia and other chest illnesses among adults.
- II. Cancer of the Lung.
- I. More deaths among people who are hospitalized with heart attacks. One study has indicated that angina patients developed pain more rapid at times.
- III. Irritation of the eyes, nose, and throat, changes in behavior and heart function.

Other studies have indicated reduced lung function in middle-aged non-smokers exposed to smoke

Lancer begins when "tars" produce chemicals that

are Known to	produce cancer.
--------------	-----------------

Unfortunately

Lung Cancer can become far advanced before it produces noticeable symptoms.

Surgeon General's Report (1979) states that Lung Cancer is largely a preventable disease.

The Supreme Court has explained:

One does not have to await consumation of threatened injury to obtain preventive relief.

The Columbia University College of Physicians and Surgeons

Tobacco Smoke - Air Pollutant

I. Air Pollution results in increased number of deaths among people with cardiac and respiratory diseases.

II. A striking increase in the number of deaths

among the persons who already suffer from Heart and Chronic Lung Disease.

- A. Stepped up severity of asthma attacks.
- B. More acute bronchitis, pneumonia and other chest illnesses among adults.
- C. Cancer of the lung
- D. More deaths among people who are hospitalized with heart attacks.
- E. One study has indicated that angina patients developed pain more rapidly at these times.
- F. Irritation of the eyes, nose, throat, and changes in behavior and heart function